Index to Volumes 160 & 161

| Anflous K, see Saks VA et al. | |
|--|---------|
| Arad M, Oxman T, Leor R and Rabinowitz B: Protaglandins and the antiarrhythmic effect of preconditioning in the isolated rat heart | 249-255 |
| Athias P, see Fantini E et al. | |
| Autenrieth A, see Müller-Werdan U et al. | |
| Bartel S, see Hoch B et al. | |
| Benigno M, see Cargnoni A et al. | |
| Benndorf R, see Hoch B et al. | |
| Beręsewicz A, see Bilińska M et al. | |
| Bilińska M, Mączewski M and Beręsewicz A: Donors of nitric oxide mimic effects of ischaemic preconditioning | |
| on reperfusion induced arrhythmias in isolated rat heart | 265-271 |
| Bing RJ and Susuki H: Myocardial infarction and nitric oxide | 303-306 |
| Blasig IE, Dickens BF, Weglicki WB and Kramer JH: Uncoupling of mitochondrial oxidative phosphorylation | |
| alters lipid peroxidation-derived free radical production but not recovery of postischemic rat hearts and | |
| post-hypoxic endothelial cells | 167-177 |
| Bohm J, see Lammerich A et al. | |
| Borda E, see Sterin-Borda L et al. | |
| Bravený P, see Šimurda et al. | |
| Breier A, Ziegelhöffer A, Famulsky K, Michalak M and Slezák J: Is cysteine residue important in FITC-sensitive | |
| ATP-hinding site of P-type ATPases? A commentary to the state of the art | 80 03 |

| Caldarera CM, see Muscari C et al. Cargnoni A, Ceconi C, Curello S, Benigno M, de Jong JW and Ferrari R: Relation between energy metabolism, | |
|---|---------|
| glycolysis, noradrenaline release and duration of ischemia | 187-194 |
| Carriquiriborde M, see Mosca SM et al. | |
| Ceconi C, see Cargnoni A et al. | |
| Christé G, see Šimurda J et al. | |

| Cingolani HE, see Mosca SM et al. |
|--|
| Clô C, see Muscari C et al. |
| Cremaschi G, see Sterin-Borda L et al. |
| Curello S see Carononi A et al |

Breier A, see Ziegelhöffer A et al.

| Dai J, Liu S-Y and Panagia V: Kinetics of myocardial phospholipase D | 83-87 |
|--|-------|
| Daneshrad Z, see Saks VA et al. | |
| Das DK, see Maulik N | |
| De Jong IW see Caranoni A et al | |

De Jong JW, see Cargnoni A et al. Dhalla NS, see Matsubara T Dickens BF, see Blasig et al. Džurba A, see Ziegelhöffer A et al.

Echagüe AV, see Sterin-Borda L et al. Endoh M, see Norota I

| Famulsky K, see Breier A et al. | |
|---|---------|
| Fantini, Athias P, Tirosh R and Pinson A: Effect of TaiCatoxin (TCX) on the electrophysiological, mechanical | |
| and biochemical characteristics of spontaneously beating ventricular cardiomyocytes | 61–65 |
| Ferrari R, see Cargnoni A et al. | |
| Fontaine E, see Saks VA et al. | |
| Fraysse B, see Levitsky DO et al. | |
| Garnier A, see Lavanch N et al. | |
| Genaro AM, see Sterin-Borda L et al. | |
| Giaccari A, see Muscari C et al. | |
| Giordano E, see Muscari C et al. | |
| Goin JC, see Sterin-Borda L et al. | |
| Grably S, see Lavanchy N et al. | |
| Guarnieri C, see Muscari C et al. | |
| Günther J, see Lammerich A et al. | |
| Hammer C, see Müller-Werdan U et al. | |
| Hasenfuss G, see Schillinger W et al. | |
| Henning U, Wallukat G and Holtzhauer M: Influence of glycosylation inhibitors on dihydropyridine binding to | |
| cardiac cells | 47-52 |
| Henning U, Wolf W-P and Holtzhauer M: Primary cultures of cardiac muscle cells as models for investigation | 47 32 |
| of protein glycosylation | 41-46 |
| Hill M, see Kaul N et al. | 11 10 |
| Hoch B, Lutsch G, Schlegel W-P, Stahl J, Wallukat G, Bartel S, Krause E-G, Benndorf R and Karczewski P: | |
| HSP25 in isolated perfused rat hearts: Localization and response to hyperthermia | 231-239 |
| Holtzhauer M, see Henning U et al. | 201 207 |
| Htun P, see Strasser R et al. | |
| | |
| Iwasaki T, see Ohyanagi M | |
| Just H, see Schillinger W et al. | |
| Karczewski P, see Hoch B et al. | |
| Karoly K, see Wilson S et al. | |
| Kaul N, Siveski-Iliskovic N, Hill M, Khaper N, Seneviratne C and Singal PK: Probucol treatment reverses | |
| antioxidant and functional deficit in diabetic cardiomyopathy | 283-288 |
| Kecskemeti V, Pacher P, Pankucsi C and Nanasi P: Comparative study of cardiac electrophysiological effects of | 200 200 |
| atrial natriuretic peptide | 53-59 |
| Keriel C, see Saks VA et al. | 00 07 |
| Khaper N, see Kaul N et al. | |
| Klein D, see Müller-Werdan U et al. | |
| Koidl B, see Müller-Werdan U et al. | |
| Kölbel F and Schreiber V: The endogenous digitalis-like factor | 111-115 |
| Kramer JH, see Blasig IE et al. | |
| Krause E-G, Rabitzsch G, Noll F, Mair J and Puschendorf B: Glycogen phosphorylase isoenzyme BB in diagnosis | |
| of myocardial ischaemic injury and infarction | 289-295 |
| Krause E-G, see Hoch B et al. | |
| Kuwajima G, see Schillinger W et al. | |
| Lammerich A, Bohm J, Schimke I, Wagner K-D, E. Storch and Günther J: Effects of hypoxia, simulated ischemia | |
| and reoxygenation on the contractile function of human atrial trabeculae | 143-151 |
| Lavanchy L, Grably S, Garnier A and Rossi A: Crucial role of intracellular effectors on glycogenolysis in the | |
| isolated rat heart: potential consequences on the myocardial tolerance to ischemia | 273-282 |
| Leor R, see Arad M et al. | |
| Leoty C, see Levitsky DO et al. | |

| Leverve X, see Saks VA et al. Levitsky, DO, Fraysse B, Leoty C, Nicoll DA and Philipson KD: Cooperative interaction between Ca ²⁺ binding | |
|--|---------|
| sites in the hydrophylic loop of the Na ⁺ -Ca ²⁺ exchanger | 27-32 |
| Liu S-Y, see Dai J et al. | 21-32 |
| Lochner A, Tromp E and Mouton R: Signal transduction in myocardial ischaemia and reperfusion | 129–136 |
| Löhn M, Szymanski G and Markwardt F: Deformation of the Bowditch staircase in Ca ²⁺ -overloaded mammalian cardiac tissue – A calcium phenomenon? | 13-25 |
| Löw-Friedrich I, see Sharma HS et al. | |
| Lutsch G, see Hoch B et al. | |
| Maczewski M, see Bilińska et al. | |
| Mair J, see Krause E-G et al. | |
| Markwardt F, see Löhn M et al. | |
| Michalak M, see Breier A et al. | |
| Mikoshiba K, see Schillinger W et al. | |
| Matsubara T and Dhalla NS: Relationship between mechanical dysfunction and depression of sarcolemmal | |
| Ca ²⁺ -pump activity in hearts perfused with oxygen free radicals | 179–185 |
| Maulik N and Das DK: Molecular cloning, sequencing and expression analysis of a fatty acid transport gene in | |
| rat heart induced by ischemic preconditioning and oxidative stress | 241–247 |
| Mosca SM, Carriquiriborde M and Cingolani HE: Biphasic changes in relaxation following reperfusion after | |
| myocardial ischemia | 123-128 |
| Mouton R, see Lochner A et al. | |
| Müller-Werdan U, Koidl B, Autenrieth A, Klein D, Werdan K and Hammer C: Xenoreactive natural antibodies and induced antibodies – Their effects on beating cardiomyocytes as a model of a xenograft | 315-324 |
| Müller W-D, see Wallukat G et al. | 313-324 |
| Meyer M, see Schillinger W et al. | |
| Muscari C, Giaccari A, Giordano E, Clô C, Guarnieri C and Caldarera CM: Role of reactive oxygen species in | |
| cardiovascular aging | 159-166 |
| Nanasi P, see Kecskemeti V et al. | 139-100 |
| Neyses L, see Pelzer T et al. | |
| Nicoll DA, see Levitsky DO et al. | |
| | |
| Noll F, see Krause E-G et al. Norota I and Endoh M: Pharmacological characteristics of endothelin receptors in the rabbit ventricular myocardi- | |
| um: the nonselective endothelin receptor antagonist PD 145065 antagonizes the positive inotropic effect of | |
| endothelin-3 but not of endothelin-1 | 67–74 |
| Novel-Chaté V, see Saks VA et al. | 07-74 |
| Novel-Chate v, see Saks va et al. | |
| Ohyanagi M and Iwasaki T: The guanine nucleotide-binding regulatory proteins (G proteins) in myocardium | |
| with ischemia | 153–157 |
| Oxman T, see Arad M et al. | |
| Pacher P, see Kecskemeti V et al. | |
| Palmiter KA, see Powers FM et al. | |
| Panagia V, see Dai J et al. | |
| Pankucsi C, see Kecskemeti V et al. | |
| Papp J, see Wilson S et al. | |
| Parratt JR, see Wilson S et al. | |
| Pelzer T, Shamin A and Neyses L: Estrogen effects in the heart | 307-313 |
| Philipson KD, see Levitsky DO et al. | 507-515 |
| Pinson A, see Fantini E et al. | |
| Pinson A and Tirosh R: Reversible and irreversible damage in reoxygenated 'ischemic' ventricular myocytes in | |
| culture | 137-141 |
| Powers FM, Palmiter KA and Solaro RJ: E-1020, a water soluble imidazopyridine, has direct effects on Ca ²⁺ - | 137-141 |
| dependent force and ATP hydrolysis of canine and covine cardiac myofilaments | 33-39 |

Puschendorf B. see Krause E-G et al. Pyne NJ, see Wilson S et al.

Rabinowitz B, see Arad M et al.

Rabitzsch G, see Krause E-G et al.

Rappaport L, see Saks VA et al.

Ravingerova T, see Wilson S et al.

Ravingerová T. see Ziegelhöffer A et al.

Repke KRH: Reinstatement of the ATP high energy paradigm

Rossi A, see Saks VA et al.

Rossi A. see Lavanchy N et al.

Saks VA, Tiivel T, Kay L, Novel-Chaté V, Daneshrad Z, Rossi A, Fontaine E, Keriel C, Leverve X, Ventura-Clapier R, Anfous K, Samuel J-L and Rappaport L: On the regulation of cellular energetics in health and disease

Samuel J-L, see Saks VA et al.

Schaper W, see Strasser R et al.

Schillinger W, Meyer M, Kuwajima G, Mikoshiba K, Just H and Hasenfuss G: Unaltered ryanodine receptor protein levels in ischemic cardiomyopathy

Schimke I, see Lammerich A et al.

Schlegel W-P, see Hoch B et al.

Schreiber V, see Kölbel F et al.

Seneviratne C, see Kaul N et al.

Shamim A. see Pelzer T et al.

Sharma HS, Stahl J, Weisensee D and Löw-Friedrich I: Cytoprotective mechanisms in cultured cardiomyocytes 217-224

Simon H-U, see Wallukat G et al. Šimurda J, Šimurdová M, Bravenýl, P and Christé G: Control of cardiac performance by Ca-turnover 5-12

Šimurdová M, see Šimurda J et al.

Singal PK, see Kaul N et al.

Siveski-Iliskovic N, see Kaul N et al.

Slezák J. see Breier A et al.

Slezák J, see Ziegelhöffer A et al.

Solaro RJ, see Powers FM et al.

Song W, see Wilson S et al.

Stahl J, see Sharma HS et al.

Stahl J. see Hoch B et al.

Sterin-Borda L, Cremaschi G, Genaro AM, Echagüe AV, Goin JC and Borda E: Involvement of nitric oxide synthase and protein kinase C activation on chagasic antibodies action upon cardiac contractility

Storch E, see Lammerich A et al.

Suzuki H, see Bing RJ et al.

Szekeres L, see Ziegelhöffer A et al.

Szymanski G, see Löhn M et al.

Strasser R, Htun P and Schaper W: Salvage of jeopardized myocardium by ischemic preconditioning: Is the quest over? 209-215

Tiivel T, see Saks VA et al

Tirosh R. see Fantini E et al.

Tirosh R, see Pinson A et al.

Tomisawa S, see Wilson S et al.

Tribulová N, see Ziegelhöffer A et al.

Tromp E, see Lochner A et al.

95-99

195-208

297-302

75-82

- Vegh A, see Wilson S et al.
- Ventura-Clapier R, see Saks VA et al.
- Wagner K-D, see Lammerich A et al.
- Wallukat G, Simon HU, Miller W-D and Wolf I: Functional antagonism by a monoclonal antibody to digoxin in a test system of cultured rat heart myocytes
- 117-120

- Wallakut G, see Henning U et al.
- Wallakut G, see Hoch B et al.
- Weglicki WB, see Blasig IE et al.
- Weisensee D, see Sharma HS et al. Werdan K. see Müller-Werdan U et al.
- Wilson S, Song W, Karoly K, Ravingerova T, Vegh A, Papp J, Tomisawa S, Parratt JR and Pyne NJ: Delayed cardioprotection is associated with the sub-cellular relocalisation of ventricular protein kinase $C\varepsilon$, but not p42/44MAPK
- 225-230

- Wolf I, see Wallukat G et al.
- Wolf W-P, see Henning U et al.
- Ziegelhöffer A, Ravingerová T, Džurba A, Tribulová N, Slezák J, Breier A and Szekeres L: Prevention by 7-oxo-prostacyclin of the calcium paradox in rat heart: Role of the sarcolemmal (Na,K)-ATPase
- 257-263

- Ziegelhöffer A, see Breier A et al.
- Zimmer H-G: Regulation of and intervention into the oxidative pentose phosphate pathway and adenine nucleotide metabolism in the heart
- 101-109



